

CERTIFICATE OF ANALYSIS No.: 2021-6592

CLIENT

Canzon Europe S.A, 9 rue Large
1917 Luxembourg, Luxembourg

SAMPLE













CBD Oil 10ml 2000mg



Sample condition: SUITABLE
Sample ID: 2143006
Sample type: Viscous liquid
Batch No.: DR20021277A

Work order: 2021-105794
Analysis ID: 2021_249
Method ID: PHL_RPC_12C
Method SOP: MET-002

Sample received: 25/10/2021
Start of analysis: 25/10/2021
End of analysis: 26/10/2021
Analyst: Janez Gerdenc

CANNABINOID PROFILE	Concentration [% w/w]	Expanded uncertainty [% w/w]	Graphic presentation of relative cannabinoid concentration
CBDV - Cannabidivarin	2.85	0.14	
CBDA - Cannabidiolic acid	1.461	0.073	
CBGA - Cannabigerolic acid	0.039	0.012	
CBG - Cannabigerol	0.321	0.080	
CBD - Cannabidiol	18.18	0.91	
THCV - Tetrahydrocannabivarin	0.429	0.069	
CBN - Cannabinol	< LOQ	n/a	
CBC - Cannabichromene	0.0310	0.0068	
THC - Δ-9-Tetrahydrocannabinol	0.061	0.013	
THCA - Δ-9-Tetrahydrocannabinolic acid	< LOQ	n/a	
8-THC - Δ-8-Tetrahydrocannabinol *	< LOQ	n/a	
CBL - Cannabicyclol *	< LOQ	n/a	

The results marked by * relate to non-accredited activity.

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.

The results given herein apply only to the sample as received. Expanded Uncertainty was calculated using coverage factor $k = 2$, corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:

26/10/2021

Approved by:



mag. Marko Dragan
Analytical Laboratory Manager

Authorized by:



dr. Boštjan Jančar
Chief Technology Officer

End of Certificate