



Certificate of Analysis # 2022-2146/EXT/HPLC

Informations provided by the client

Sample Name: ULTRA Q10 MOISTURE CREAM 102CRV0012 00109-22
 Matrix: Complex matrix
 Product: Cosmetics

Prepared for

CANZON EUROPE S.A. Avenue Gaston Diderich, 5-11
 L-1420 Luxembourg

Laboratory Information

Acceptance Date: 14/07/2022
 Test Start Date: 15/07/2022
 Sampling: Sample delivered by the customer
 Sample ID: E1407222140/EXT
 Residual moisture: NR%

P.IVA LU31315250

Compound	Result	UM	LOQ (% m/m)	Result (mg/g)	Measurement uncertainty
CBDV	0.01	%(m/m)	0.02	0.1	
CBDA	0.03	%(m/m)	0.033	0.3	
CBGA	< LOQ	%(m/m)	0.035	< LOQ	
CBG	< LOQ	%(m/m)	0.018	< LOQ	
CBD	2.17	%(m/m)	0.015	21.7	
THCV	< LOQ	%(m/m)	0.02	< LOQ	
CBN	< LOQ	%(m/m)	0.02	< LOQ	
d9-THC	< LOQ	%(m/m)	0.028	< LOQ	
CBC	< LOQ	%(m/m)	0.017	< LOQ	
THCA	< LOQ	%(m/m)	0.02	< LOQ	
TOTAL CBD	2.19	%(m/m)	0.02	21.9	
TOTAL CBG	< LOQ	%(m/m)	0.02	< LOQ	
TOTAL THC	< LOQ	%(m/m)	0.02	< LOQ	

%(m/m) = (Mass of the analyte/Mass of the product as it is)
 NR Not Detected
 LOD Limit of detection
 LOQ Limit of quantification
 <LOQ Below the limit of quantification

**TEST METHOD:
 HPLC - IST01 REV02 12-2021**

Total Cannabinoids are calculated using the following formulas to calculate the loss of the carboxyl group during decarboxylation
Total THC = THC + (THCA * 0.877)
Total CBD = CBD + (CBDA * 0.877)
Total CBG = CBG + (CBGA * 0.877)

Reason for Review:

This revision cancels and replaces the previously issued document.

End of Test Report # Certificate of Analysis # 2022-2146/EXT/HPLC

Test end date: 18/07/2022
 Issuing date: 19/07/2022

The results reported in the Test Report refer only to the sample actually tested, as received. The Laboratory declines all responsibility for the methods of carrying out sampling, transport and storage of the samples until delivery, if carried out by the customer. The Laboratory assumes responsibility for the information and data contained in the test report, with the exclusion of what is declared by the customer. This RDP cannot be reproduced, if not complete, it is only admitted after written authorization from the Laboratory Manager. Copies of this Test Report and related documents are kept for 4 years. The laboratory declines responsibility for any information provided by the customer that may affect the validity of the results. Test Report digitally signed and compliant pursuant to art. 23 Legislative Decree 7 March 2005 No. 82 CAD and subsequent amendments and additions.